

Productname : SPATTER RELEASE
Ref.Nr.: UDS000432_3_20180801 (EN) **Creationdate :** 01.08.18 Version : 2.1
Replaces: UDS000432_20170629

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SPATTER RELEASE
Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Welding Products

1.3. Details of the supplier of the safety data sheet

CRC Industries UK Ltd.
Wylds Road
Castlefield Industrial Estate
TA6 4DD Bridgwater Somerset
United Kingdom
Tel.: +44 1278 727200
Fax.: +44 1278 425644
E-mail : hse.uk@crcind.com

1.4. Emergency telephone number

(+44)(0)1278 72 7200 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Physical: Aerosol, category 3
Pressurised container: May burst if heated.
Classification is based on test data.

Health: Skin irritation, category 2
Causes skin irritation.
Eye irritation, category 2
Causes serious eye irritation.
Carcinogenicity, category 2
Suspected of causing cancer .
Specific target organ toxicity - single exposure, category 3
May cause respiratory irritation.
May cause drowsiness or dizziness.
Specific Target Organ Toxicity - Repeated Exposure Category 2
May cause damage to organs through prolonged or repeated exposure .



1 / 10

CRC Industries UK Limited
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,
Somerset, TA6 4DD
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Productname : SPATTER RELEASE
Ref.Nr.: UDS000432_3_20180801 (EN)

Creationdate : 01.08.18 Version : 2.1
Replaces: UDS000432_20170629



Classification based on calculation method.

Environment: Not classified

Classification based on calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

| | |
|------------------------------------|--|
| Product identifier: | Contains: dichloromethane; methylene chloride |
| Hazard pictogram(s): |   |
| Signal word: | Warning |
| Hazard statement(s): | H229 : Pressurised container: May burst if heated. H315 : Causes skin irritation. H319 : Causes serious eye irritation. H351 : Suspected of causing cancer . H335 : May cause respiratory irritation. H336 : May cause drowsiness or dizziness. H373 : May cause damage to organs through prolonged or repeated exposure . |
| Precautionary statement(s): | P102 : Keep out of reach of children. P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 : Do not spray on an open flame or other ignition source. P251 : Do not pierce or burn, even after use. P260 : Do not breathe dust/fume/gas/mist/vapours/spray. P281 : Use personal protective equipment as required. P308/313 : IF exposed or concerned: Get medical advice/attention. P410/412 : Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501-2 : Dispose of contents/container to an authorised waste collection point. |

2.3. Other hazards

No information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

| Hazardous ingredient | Registration number | CAS-nr. | EC-nr | w/w % | Hazard Class and Category | Hazard statement | Notes |
|-------------------------------------|---------------------|---------|-----------|--------|---|---------------------|-------|
| dichloromethane; methylene chloride | 01-2119480404-41 | 75-09-2 | 200-838-9 | 60-100 | Carc. 2, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3 | H351,H315,H319,H336 | |

Productname : SPATTER RELEASE
Ref.Nr.: UDS000432_3_20180801 (EN) **Creationdate :** 01.08.18 Version : 2.1
Replaces: UDS000432_20170629

| | | | | | | | |
|---|---|----------|-----------|------|------------|------|-----|
| carbon dioxide | - | 124-38-9 | 204-696-9 | 1-10 | Press. Gas | H280 | A,G |
| Explanation notes | | | | | | | |
| A : substance with Community workplace exposure limit | | | | | | | |
| G : exempted from the obligation to register in accordance with art.2(7) of REACH Regulation No 1907/2006 | | | | | | | |

(* Explanation phrases : see chapter 16)

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------------|---|
| Contact with eyes : | If substance has got into eyes, immediately wash out with plenty of water Seek medical advice |
| Contact with skin : | Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water Seek medical attention if irritation persists |
| Inhalation : | Fresh air, keep warm and at rest. If breathing is difficult give oxygen Apply artificial respiration only if patient is not breathing Seek immediate medical attention |
| Ingestion : | Do not induce vomiting Rinse mouth with water (do not swallow) If swallowed seek medical advice immediately and show this container or label. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-----------------------|---|
| Inhalation : | May cause irritation. High concentrations may cause narcotic effects. Symptoms : sore throat, cough, shortness of breath, severe breathing difficulties, headache |
| Ingestion : | After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia. Symptoms : abdominal pain, dizziness, diarrhea, cough, headache |
| Skin contact : | May cause irritation. Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis Symptoms : redness and pain |
| Eye contact : | May cause irritation. Symptoms : redness and pain |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|-------------------------|--|
| General Advice : | If any symptoms should occur, seek medical advice. If you feel unwell, seek medical advice (show the label where possible) Methylene chloride is classified as carcinogenic Cat.2 In case of repeated exposures, regular medical examination is advised |
|-------------------------|--|

SECTION 5: Firefighting measures

Productname : SPATTER RELEASE
Ref.Nr.: UDS000432_3_20180801 (EN)

Creationdate : 01.08.18 Version : 2.1
Replaces: UDS000432_20170629

5.1. Extinguishing media

foam, carbon dioxide or dry agent

5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C
Forms hazardous decomposition products
CO,CO₂,HCl
chlorinated compounds

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water
In case of fire, do not breathe fumes
Substance evolves toxic fumes, wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources
Ensure adequate ventilation
Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material
Wash spill site with water and detergent

6.4. Reference to other sections

For further information see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and sources of ignition
Take precautionary measures against static discharges
Equipment should be earthed
Use explosion-proof electrical/ventilating/lighting/.../equipment.
Use only non-sparking tools.
Do not breathe aerosols or vapours.
Ensure adequate ventilation



Productname : SPATTER RELEASE
Ref.Nr.: UDS000432_3_20180801 (EN)

Creationdate : 01.08.18 Version : 2.1
Replaces: UDS000432_20170629

Avoid contact with skin and eyes.
 Wash thoroughly after use
 Wear protective gloves/protective clothing/eye protection/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.
 Keep in a cool, dry, well ventilated place
 Keep out of reach of children.

7.3. Specific end use(s)

Welding Products

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits :

| Hazardous ingredient | CAS-nr. | method | |
|---|----------|--------|------------|
| EU established exposure limits: | | | |
| carbon dioxide | 124-38-9 | TWA | 9000 mg/m3 |
| | | STEL | mg/m3 |
| dichloromethane; methylene chloride | 75-09-2 | TWA | 100 ppm |
| | | STEL | 200 ppm |
| National established exposure limits, United Kingdom | | | |
| carbon dioxide | 124-38-9 | TWA | 5000 ppm |
| | | STEL | 15000 ppm |
| dichloromethane; methylene chloride | 75-09-2 | TWA | 100 ppm |
| | | STEL | 300 ppm |
| National established exposure limits, Ireland | | | |
| carbon dioxide | 124-38-9 | TWA | 5000 ppm |
| | | STEL | 15000 ppm |
| dichloromethane; methylene chloride | 75-09-2 | TWA | 50 ppm |
| | | STEL | - |

8.2. Exposure controls

| | |
|-------------------------------------|---|
| Control procedures : | Ensure adequate ventilation Keep away from heat and sources of ignition |
| Personal protection : | Take precautions to avoid contact with skin and eyes when handling the product. Ensure adequate ventilation |
| inhalation : | In case of insufficient ventilation, wear suitable respiratory equipment. |
| recommended respiratory protection: | Air purifying respirator equipped with organic gas/vapor cartridge (type AX) |
| hands and skin : | Wear suitable protective gloves The breakthrough time of the glove should be longer than the total duration of |

Productname : SPATTER RELEASE
Ref.Nr.: UDS000432_3_20180801 (EN)
Creationdate : 01.08.18 Version : 2.1
Replaces: UDS000432_20170629

product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through.
Recommended gloves: (polyvinylalcohol)
eyes : Wear safety eyewear according to EN 166.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(for aerosols data for the product without propellant)

Apperance : physical state : Liquid under pressure.
colour : Colourless to yellow.
odour : Characteristic odor.
pH : Not applicable.
Boiling point/range : 40 °C
Flash point : None
Evaporation rate : 27.5 (n-butyl acetate=1)
Explosion limits : upper limit : 22 %
lower limit : 13 %
Vapour pressure : 47.6 kPa.
Relative density : 1.293 g/cm³ (@ 20°C).
Solubility in water : Partly soluble in water
Auto-ignition : 605 °C
Viscosity : 0.42 mPa.s (@ 25°C).

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions known if used for its intended purpose

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.
Avoid overheating

10.5. Incompatible materials

Strong oxidising agent



6 / 10

CRC Industries UK Limited
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,
Somerset, TA6 4DD
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Productname : SPATTER RELEASE
Ref.Nr.: UDS000432_3_20180801 (EN) **Creationdate :** 01.08.18 Version : 2.1
Replaces: UDS000432_20170629

10.6. Hazardous decomposition products

CO,CO₂,HCl
traces of chlorine and phosgene

SECTION 11: Toxicological information

11.1. Information on toxicological effects

acute toxicity: based on available data the classification criteria are not met
skin corrosion/irritation: Causes skin irritation.
serious eye damage/irritation: Causes serious eye irritation.
respiratory or skin sensitisation: based on available data the classification criteria are not met
germ cell mutagenicity: based on available data the classification criteria are not met
carcinogenicity: Suspected of causing cancer .
toxicity for reproduction: based on available data the classification criteria are not met
STOT-single exposure: May cause respiratory irritation.
May cause drowsiness or dizziness.
STOT repeated exposure: May cause damage to organs through prolonged or repeated exposure .
aspiration hazard: based on available data the classification criteria are not met

Information on likely routes of exposure:

Inhalation : May cause irritation.
High concentrations may cause narcotic effects.
Ingestion : After vomiting of swallowed product aspiration into lungs is likely. Solvents may induce chemical pneumonia.
Skin contact : Irritating to skin
Eye contact : Irritating to eyes

Toxicological data :

| Hazardous ingredient | CAS-nr. | method | |
|-------------------------------------|---------|---------------|--------------|
| dichloromethane; methylene chloride | 75-09-2 | LD50 oral rat | > 2000 mg/kg |
| | | LD50 derm.rat | > 2000 mg/kg |

May cause damage to organs through prolonged or repeated exposure .
Methylene chloride is classified as carcinogenic Cat.2

SECTION 12: Ecological information

12.1. Toxicity

Not classified

Ecotoxicological data:



7 / 10

CRC Industries UK Limited
Ambersil House, Wylds Road, Castlefield Industrial Estate, Bridgwater,
Somerset, TA6 4DD
Tel: +44 (0)1278 727200 Fax: +44 (0)1278 425644 web: www.ambersil.com

Productname : SPATTER RELEASE
Ref.Nr.: UDS000432_3_20180801 (EN)

Creationdate : 01.08.18 Version : 2.1
Replaces: UDS000432_20170629

| Hazardous ingredient | CAS-nr. | method | |
|-------------------------------------|---------|--------------|------------|
| dichloromethane; methylene chloride | 75-09-2 | IC50 algae | > 662 mg/l |
| | | LC50 fish | 193 mg/l |
| | | EC50 daphnia | 27 mg/l |

12.2. Persistence and degradability

No information available

12.3. Bioaccumulative potential

No information available

12.4. Mobility in soil

Partly soluble in water

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

No information available
GWP (global warming potential): 0

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product : This material and its container must be disposed of in a safe way. Do not discharge into drains or the environment, dispose to an authorised waste collection point.
Contaminated packaging : Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information

14.1. UN number

UN-number : 1950

14.2. UN proper shipping name

Proper shipping name: AEROSOLS

14.3. Transport hazard class(es)

Productname : SPATTER RELEASE
Ref.Nr.: UDS000432_3_20180801 (EN)
Creationdate : 01.08.18 Version : 2.1
Replaces: UDS000432_20170629

Class: 2.2
Subsidiary risk: 6.1
ADR/RID - Classification code: 5T

14.4. Packing group

Packing group: Not applicable.

14.5. Environmental hazards

ADR/RID - Environmentally hazardous: No
IMDG - Marine pollutant: No
IATA/ICAO - Environmentally hazardous: No

14.6. Special precautions for user

ADR/RID - Tunnelcode: (D)
IMDG - Ems: F-D, S-U
IATA/ICAO - PAX: 203
IATA/ICAO - CAO: 203

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.
Regulation (EC) No 1907/2006 (REACH)
Regulation (EC) No 1272/2008 (CLP)
Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

*Explanation hazard statements: H280 : Contains gas under pressure; may explode if heated.
H315 : Causes skin irritation.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.
H351 : Suspected of causing cancer .
acronyms and synonyms: TWA = time weight average
STEL = short time exposure limit

| | | | |
|----------------------|---------------------------|-----------------------|------------------------|
| Productname : | SPATTER RELEASE | Creationdate : | 01.08.18 Version : 2.1 |
| Ref.Nr.: | UDS000432_3_20180801 (EN) | Replaces: | UDS000432_20170629 |

VOC = volatile organic compounds
PBT = persistant bioaccumulative toxic
vPvB = very persitant very bioaccumulative

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.