



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-05-12

Certificate number: EC26802091 rev. 0

Our order: 0100520068  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220512

Your order: 22833  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address  
OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address  
OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 2.4x1000mm 5kg  
Item number: **203624R150**  
Lot number: **PVW1312461**  
Heat number: **12272**  
Quantity: 50 PK

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.08%
Si	0.86%
Mn	1.43%
P	0.012%
S	0.013%
Cr	0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.08%
V	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-05-03

Certificate number: EC26791832 rev. 0

Our order: 0100511862  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220430

Your order: 22794  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 2.4x1000mm 5kg  
Item number: **203624R150**  
Lot number: PVW0910034  
Heat number: **10441**  
Quantity: 20 CT

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.08%
Si	0.83%
Mn	1.47%
P	0.012%
S	0.016%
Cr	0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.08%
V	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-07-26

Certificate number: EC26869350 rev. 0

Our order: 0100567941  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220722

Your order: 23104  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address  
OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address  
OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 2.4x1000mm 5kg  
Item number: **203624R150**  
Lot number: PVW2411074  
Heat number: **220451**  
Quantity: 40 CT

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.07%
Si	0.86%
Mn	1.40%
P	0.011%
S	0.011%
Cr	< 0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.05%
V	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-06-30

Certificate number: EC26848009 rev. 0

Our order: 0100551558  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220629

Your order: 22993  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 2.4x1000mm 5kg  
Item number: **203624R150**  
Lot number: PVW2011131  
Heat number: **14602**  
Quantity: 20 PK

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.07%
Si	0.88%
Mn	1.44%
P	0.010%
S	0.014%
Cr	< 0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.08%
V	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-06-30

Certificate number: EC26848008 rev. 0

Our order: 0100551558  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220629

Your order: 22993  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Murex  
Description: Saffire CCMS 2.4x1000mm 5kg  
Item number: **950224R150**  
Lot number: **PVV38057084**

Quantity: 4 PK

## CLASSIFICATIONS

EN 12536: O1

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.07%
Si	0.07%
Mn	0.47%
P	0.009%
S	0.012%
Cr	0.05%
Ni	0.02%
Mo	0.01%
Cu	0.07%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-07-12

Certificate number: EC26857536 rev. 0

Our order: 0100557895  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220707

Your order: 23035  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address  
OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address  
OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Murex  
Description: Super Fastex 4.0x450mm  
Item number: 3700404300  
Lot number: SBV3810694

Quantity: 2 CT

## CLASSIFICATIONS

SFA/AWS A5.1: E7024  
EN ISO 2560-A: E 42 0 RR 73

## CHEMICAL ANALYSIS

All weld metal

Auxiliary:

C	0.09%
Si	0.28%
Mn	0.72%
P	0.02%
S	0.01%
Cr	0.03%
Ni	0.04%
Mo	< 0.1%
Nb	0.01%
Cu	< 0.1%
V	0.02%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515

Validation

Ellen Björgran

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-07-26

Certificate number: EC26869351 rev. 0

Our order: 0100567941  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220722

Your order: 23104  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 1.6x1000mm 5kg  
Item number: **203616R150**  
Lot number: PVW2710151  
Heat number: **231413**  
Quantity: 20 CT

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.07%
Si	0.84%
Mn	1.42%
P	0.008%
S	0.012%
Cr	< 0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.09%
V	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-07-28

Certificate number: EC26871172 rev. 0

Our order: 0100375971  
Our reference: János Kelemen  
Customer number: IEB00047  
Customer order date: 20210318

Your order: 22241  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address  
OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address  
OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: ESAB  
Description: Weld G3Si1 1.0mm 15kg  
Item number: **232110670H**  
Lot number: **PVW2411242**  
Heat number: **231775**  
Quantity: 144 CT

## CLASSIFICATIONS

EN ISO 14341-A: G 3Si1  
EN ISO 14341-A: G 38 2 C1 3Si1  
EN ISO 14341-A: G 42 3 M21 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.07%
Si	0.88%
Mn	1.45%
P	0.012%
S	0.013%
Cr	0.03%
Ni	0.01%
Mo	< 0.01%
Cu	0.09%
V	< 0.01%
Al	< 0.01%
Ti+Zr	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager





# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-07-28

Certificate number: EC26871170 rev. 0

Our order: 0100229407  
Our reference: János Kelemen  
Customer number: IEB00047  
Customer order date: 20210318

Your order: 21547  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address  
OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address  
OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: ESAB  
Description: Weld G3Si1 0.8mm 15kg  
Item number: **232108670H**  
Lot number: PVW2210156  
Heat number: **220954**  
Quantity: 38 CT

## CLASSIFICATIONS

EN ISO 14341-A: G 3Si1  
EN ISO 14341-A: G 38 2 C1 3Si1  
EN ISO 14341-A: G 42 3 M21 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

### Wire/strip

Auxiliary:

C	0.07%
Si	0.84%
Mn	1.45%
P	0.010%
S	0.018%
Cr	0.02%
Ni	0.01%
Mo	< 0.01%
Cu	0.11%
V	< 0.01%
Al	< 0.01%
Ti+Zr	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-07-28

Certificate number: EC26871171 rev. 0

Our order: 0100229407  
Our reference: János Kelemen  
Customer number: IEB00047  
Customer order date: 20210318

Your order: 21547  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address  
OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address  
OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: ESAB  
Description: Weld G3Si1 0.8mm 15kg  
Item number: **232108670H**  
Lot number: **PVW2710380**  
Heat number: **211720**  
Quantity: 34 CT

## CLASSIFICATIONS

EN ISO 14341-A: G 3Si1  
EN ISO 14341-A: G 38 2 C1 3Si1  
EN ISO 14341-A: G 42 3 M21 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.08%
Si	0.90%
Mn	1.47%
P	0.011%
S	0.014%
Cr	0.03%
Ni	0.01%
Mo	< 0.01%
Cu	0.12%
V	< 0.01%
Al	< 0.01%
Ti+Zr	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-06-30

Certificate number: EC26848331 rev. 0

Our order: 0100549235  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220624

Your order: 22983  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Murex  
Description: Nicrex E316L 2.5x300mm  
Item number: **6512252030**  
Lot number: **SBV1410188**

Quantity: 1 CT

## CLASSIFICATIONS

EN ISO 3581-A: E 19 12 3 L R 1 2  
SFA/AWS A5.4: E316L-17

## CHEMICAL ANALYSIS

All weld metal

Auxiliary:

C	0.02%
Si	0.70%
Mn	0.6%
P	0.022%
S	0.010%
Cr	17.7%
Ni	11.7%
Mo	2.8%
Cu	0.06%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Ellen Björgran

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-07-14

Certificate number: EC26860184 rev. 0

Our order: 0100561425  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220713

Your order: 23049  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Murex  
Description: Nicrex E316L 3.2x350mm  
Item number: **6512323030**  
Lot number: **SBV4610418**

Quantity: 1 CT

## CLASSIFICATIONS

EN ISO 3581-A: E 19 12 3 L R 1 2  
SFA/AWS A5.4: E316L-17

## CHEMICAL ANALYSIS

All weld metal

Auxiliary:

C	0.02%
Si	0.79%
Mn	0.6%
P	0.023%
S	0.009%
Cr	18.1%
Ni	11.4%
Mo	2.8%
Cu	0.07%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Ellen Björgan

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-05-03

Certificate number: EC26791833 rev. 0

Our order: 0100511862  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220430

Your order: 22794  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 3.2x1000mm 5kg  
Item number: **203632R150**  
Lot number: PVW0812001  
Heat number: **10441**  
Quantity: 15 CT

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.08%
Si	0.83%
Mn	1.47%
P	0.012%
S	0.016%
Cr	0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.07%
V	< 0.01%

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-07-26

Certificate number: EC26869349 rev. 0

Our order: 0100567941  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220722

Your order: 23104  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 3.2x1000mm 5kg  
Item number: **203632R150**  
Lot number: PVW2810654  
Heat number: **220954**  
Quantity: 10 CT

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.07%
Si	0.84%
Mn	1.45%
P	0.010%
S	0.018%
Cr	< 0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.04%
V	< 0.01%

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-06-30

Certificate number: EC26848010 rev. 0

Our order: 0100551558  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220629

Your order: 22993  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 3.2x1000mm 5kg  
Item number: **203632R150**  
Lot number: **PVW2212335**  
Heat number: **14602**  
Quantity: 40 PK

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.07%
Si	0.88%
Mn	1.44%
P	0.010%
S	0.014%
Cr	< 0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.07%
V	< 0.01%

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-05-12

Certificate number: EC26802091 rev. 0

Our order: 0100520068  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220512

Your order: 22833  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address  
OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address  
OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 2.4x1000mm 5kg  
Item number: **203624R150**  
Lot number: **PVW1312461**  
Heat number: **12272**  
Quantity: 50 PK

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

### Wire/strip

### Auxiliary:

C	0.08%
Si	0.86%
Mn	1.43%
P	0.012%
S	0.013%
Cr	0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.08%
V	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

### Validation

Josef Moravek

Quality Manager





# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-05-03

Certificate number: EC26791832 rev. 0

Our order: 0100511862  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220430

Your order: 22794  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address  
OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address  
OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 2.4x1000mm 5kg  
Item number: **203624R150**  
Lot number: **PVW0910034**  
Heat number: **10441**  
Quantity: 20 CT

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.08%
Si	0.83%
Mn	1.47%
P	0.012%
S	0.016%
Cr	0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.08%
V	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-07-26

Certificate number: EC26869350 rev. 0

Our order: 0100567941  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220722

Your order: 23104  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 2.4x1000mm 5kg  
Item number: **203624R150**  
Lot number: **PVW2411074**  
Heat number: **220451**  
Quantity: 40 CT

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.07%
Si	0.86%
Mn	1.40%
P	0.011%
S	0.011%
Cr	< 0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.05%
V	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager



# INSPECTION CERTIFICATE

in accordance with EN 10204 - 3.1

Date: 2022-06-30

Certificate number: EC26848009 rev. 0

Our order: 0100551558  
Our reference: HYBRIS PRD account  
Customer number: IEB00047  
Customer order date: 20220629

Your order: 22993  
Your reference:  
Your fax number:  
Your e-mail:

Invoice address

OXY ARC LIMITED  
INDUSTRIAL ESTATE  
COES ROAD  
IRD 002 CO. LOUTH  
Ireland

Receiver of certificate

Delivery address

OXY ARC LIMITED  
IND EST, COES ROAD  
DUNDALK  
IRD 002 DUNDALK  
Ireland

## DELIVERED PRODUCT

Brand: Filarc  
Description: FILARC PZ6500 2.4x1000mm 5kg  
Item number: **203624R150**  
Lot number: PVW2011131  
Heat number: **14602**  
Quantity: 20 PK

## CLASSIFICATIONS

EN ISO 636-A: W 3Si1  
EN ISO 636-A: W 42 3 3Si1  
SFA/AWS A5.18: ER70S-6

## CHEMICAL ANALYSIS

Wire/strip

Auxiliary:

C	0.07%
Si	0.88%
Mn	1.44%
P	0.010%
S	0.014%
Cr	< 0.1%
Ni	< 0.1%
Mo	< 0.1%
Cu	0.08%
V	< 0.01%

## COMMENTS

Product supplied under a QA Programme fulfilling the EN ISO 9001 standard.  
This certificate is produced electronically and is valid without signature.  
Please refer any queries to:

**ESAB Group (UK) Ltd, Warlies Park House Horseshoe Hill, Upshire, Essex, EN9 3SL +44 1992-768515**

Validation

Josef Moravek

Quality Manager