42929 Wermelskirchen



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Surface Sealing - Medium Strength 50g Pump Dispenser Article number: 80608

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive Sealing material

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company BGS technic KG Bandwirkerstr. 3

> 42929 Wermelskirchen / GERMANY Phone +49 (0)2196 72048-0 Fax +49 (0)2196 72048-20 Homepage www.bgstechnic.com E-mail mail@bgs-technic.de

Address enquiries to

Technical informationuclouth@bgs-technic.deSafety Data Sheetsdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Irrit. 2: H319 Causes serious eye irritation.

Skin Sens. 1: H317 May cause an allergic skin reaction. STOT SE 3: H335 May cause respiratory irritation.

2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

Hazard pictograms



Signal word WARNING

Contains: 2'-Phenylacetohydrazide
Cumene hydroperoxide

Methacrylic acid, monoester with Propan-1,2-diole

2,2'-Ethylenedioxydiethyl dimethacrylate

Hazard statements H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention. P337+P313 If eye irritation persists: Get medical advice / attention.

P405 Store locked up.

P501 Dispose of contents/container to in accordance with local/regional/national/international

regulation.



Date printed 15.09.2016, Revision 15.09.2016 Version 01 Page 2 / 10

2.3 Other hazards

42929 Wermelskirchen

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
20 - 35	Methacrylic acid, monoester with Propan-1,2-diole
	CAS: 27813-02-1, EINECS/ELINCS: 248-666-3
	GHS/CLP: Eye Irrit. 2: H319 - Skin Sens. 1: H317
10 - 25	2,2'-Ethylenedioxydiethyl dimethacrylate
	CAS: 109-16-0, EINECS/ELINCS: 203-652-6
	GHS/CLP: Skin Sens. 1: H317
< 2	Cumene hydroperoxide
	CAS: 80-15-9, EINECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8
	GHS/CLP: Org. Perox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr. 1B: H314 - Aquatic Chronic 2: H411 - STOT SE 3: H335
≤ 0,1	2'-Phenylacetohydrazide
	CAS: 114-83-0, EINECS/ELINCS: 204-055-3
	GHS/CLP: Acute Tox. 3: H301 - Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Eye Irrit. 2: H319 - STOT SE 3: H335

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 **Description of first aid measures**

General information Change soaked clothing

Inhalation Ensure supply of fresh air.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Get medical advice.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Most important symptoms and effects, both acute and delayed

Irritant effects

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).



Date printed 15.09.2016, Revision 15.09.2016

Version 01

Page 3 / 10

5.3 Advice for firefighters

42929 Wermelskirchen

Use self-contained breathing apparatus.

Wear full protective suit.

Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Use personal protective clothing.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

Take up residues with absorbent material (e.g. sand).

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Open and handle container with care.

Keep away from sources of ignition - refrain from smoking.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Do not store together with oxidizing agents.

Do not store together with acids.

Keep container in a well-ventilated place.

Keep container tightly closed.

Store in a dry place.

Recommended storage temperature: <25 °C.

Protect from sun.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

Safety Data Sheet 1907/2006/EC - REACH (GB) Surface Sealing - Medium Strength 50g Pump Dispenser

Article number 80608

BGS technic KG

42929 Wermelskirchen



Date printed 15.09.2016, Revision 15.09.2016 Version 01 Page 4 / 10

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of

hazardous substances.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

In full contact:

> 0,4 mm/ Butyl rubber, >480 min (EN 374-1/-2/-3).

In splash contact:

> 0,4 mm/ Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Protective overalls.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards not applicable

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form pasty

Color green

Odor characteristic

Odour threshold not determined not determined pH-value not determined pH-value [1%]

Boiling point [°C] 261
Flash point [°C] 95

Flammability (solid, gas) [°C] not determined
Lower explosion limit not determined
Upper explosion limit not determined

Oxidising properties no

Vapour pressure/gas pressure [kPa] not determined

Density [g/ml] ~1,1

 Bulk density [kg/m³]
 not applicable

 Solubility in water
 partially soluble

 Partition coefficient [n-octanol/water]
 not determined

Viscosity 17 000-50 000 cP (25°C)

Relative vapour density determined

in air

not determined

Evaporation speed not determined Melting point [°C] not determined

Autoignition temperature [°C] > 400

Decomposition temperature [°C] not determined

9.2 Other information

Temperature resistance: -55 - 150 °C

Safety Data Sheet 1907/2006/EC - REACH (GB)
Surface Sealing - Medium Strength 50g Pump Dispenser
Article number 80608
BGS technic KG
42929 Wermelskirchen



Date printed 15.09.2016, Revision 15.09.2016

Version 01 Page 5 / 10

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents and strong acids.

10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

Irritant gases/vapours.



Date printed 15.09.2016, Revision 15.09.2016 Version 01 Page 6 / 10

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product inhalative, Based on the available information, the classification criteria are not fulfilled .: dermal, Based on the available information, the classification criteria are not fulfilled.: ATE-mix, oral, > 2000 mg/kg bw.

Substance Cumene hydroperoxide, CAS: 80-15-9 LD50, oral, Rat: 382 mg/kg (IUCLID) LC50, inhalative, Rat: 1,37 mg/l/4h (GESTIS). LC50, inhalative, Rat: 220 ppm/4h (IUCLID).

LDLo, dermal, Rat: 500 mg/kg (IUCLID).

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

LD50, dermal, Rabbit: >3000 mg/kg bw (IUCLID).

LD50, oral, Rat: >4000 mg/kg bw (IUCLID)

2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0

LD50, oral, Rat: > 2000 mg/kg (Lit.)

2'-Phenylacetohydrazide, CAS: 114-83-0

ATE, oral, 100 mg/kg

Serious eye damage/irritation Toxicological data of complete product are not available.

Calculation method

Skin corrosion/irritation Toxicological data of complete product are not available.

No classification. Calculation method

Respiratory or skin sensitisation Toxicological data of complete product are not available.

May cause an allergic skin reaction.

Calculation method

Specific target organ toxicity —

single exposure

Mutagenicity

Toxicological data of complete product are not available.

May cause respiratory irritation.

Calculation method

Specific target organ toxicity —

repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled. Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



Date printed 15.09.2016, Revision 15.09.2016

Version 01 Page 7 / 10

SECTION 12: Ecological information

12.1 Toxicity

Product

Based on the available information, the classification criteria are not fulfilled .:

Substance

Cumene hydroperoxide, CAS: 80-15-9

LC50, (48h), Leuciscus idus: 17 mg/l (IUCLID).

LC50, (96h), Oncorhynchus mykiss: 3,9 mg/l (IUCLID).

EC50, (24h), Daphnia magna: 7 mg/l (IUCLID).

EC10, Pseudomonas putida: 103 mg/l/18h (IUCLID).

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

LC50, (48h), Leuciscus idus: 493 mg/L (IUCLID).

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant

not applicable

Biological degradability

The product is not biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Waste no. (recommended) 080409*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110*

Safety Data Sheet 1907/2006/EC - REACH (GB) Surface Sealing - Medium Strength 50g Pump Dispenser Article number 80608 **BGS technic KG** 42929 Wermelskirchen



Date printed 15.09.2016, Revision 15.09.2016

Version 01 Page 8 / 10

SECTION 14: Transport information

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Inland navigation (ADN)

Transport by land according to ADR/RID

NO DANGEROUS GOODS

NO DANGEROUS GOODS

IMDG

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

not applicable

IMDG

Air transport in accordance with IATA not applicable



BGS technic KG 42929 Wermelskirchen

Date printed 15.09.2016, Revision 15.09.2016 Version 01 Page 9 / 10

14.5 Environmental hazards

Transport by land according to

ADR/RID

Inland navigation (ADN)

Marine transport in accordance with n

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

no

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830

TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2016).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (2010/75/CE) 0 9

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Hazard statements (SECTION 03)

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation. H301 Toxic if swallowed.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects. H314 Causes severe skin burns and eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

H302+H312 Harmful if swallowed or in contact with skin.

H331 Toxic if inhaled.

H242 Heating may cause a fire.



Page 10 / 10

Date printed 15.09.2016, Revision 15.09.2016 Version 01

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level

EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50% LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Customs Tariff not determined

Classification procedure Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method) STOT SE 3: H335 May cause respiratory irritation. (Calculation method)

Modified position none

Copyright: Chemiebüro®