

Date printed 14.09.2016, Revision 21.01.2015

Version 01 Page 1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

42929 Wermelskirchen

Super Glue Extreme - 25g Bottle with base

Article number: 80607

Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Adhesive

1.2.2 Uses advised against

None known.

Details of the supplier of the safety data sheet

Company BGS technic KG

Bandwirkerstr. 3

42929 Wermelskirchen / GERMANY Phone +49 (0)2196 72048-0 Fax +49 (0)2196 72048-20 Homepage www.bgstechnic.com E-mail mail@bgs-technic.de

Address enquiries to

Technical information uclouth@bgs-technic.de **Safety Data Sheet** sdb@chemiebuero.de

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification

Classification of the substance or mixture

No classification.

2.2 Label elements

The product does not require a hazard warning label in accordance with EC-directives.

Hazard pictograms none Signal word none **Hazard statements** none

Precautionary statements P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of Special labelling

children.

23 Other hazards

> Human health dangers People who are allergic to cyanacrylates should avoid the use of the product. Other hazards Further hazards were not determined with the current level of knowledge.



Page 2 / 9

Date printed 14.09.2016, Revision 21.01.2015 Version 01

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
> 80 - < 100	2-methoxyethyl 2-cyanoacrylate
	CAS: 27816-23-5, EINECS/ELINCS: 248-670-5
0 - 10	Dimethyl siloxane, reaction product with silica
	CAS: 67762-90-7
0 - 10	Acrylpolymer

Comment on component parts

No dangerous components.

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek medical treatment.

Skin contact Do not pull solidified product from skin forcibly.

When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

Do not open bonded eyelids forcibly and without any special care.

Shield unaffected eye.

Ingestion Keep airways free.

Do not induce vomiting. Get medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Carbon monoxide (CO), irritant gases/vapours.

Nitrogen oxides (NOx).

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.



Date printed 14.09.2016, Revision 21.01.2015 Version 01 Page 3 / 9

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment.

High risk of slipping due to leakage/spillage of product.

Keep away from all sources of ignition.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Allow to solidify.

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.

Keep away from all sources of ignition.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Keep away from water.

Recommended storage temperature: 2-8 °C.

Keep container tightly closed.

Protect from atmospheric moisture and water.

7.3 Specific end use(s)

See product use, SECTION 1.2


SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

Safety Data Sheet 1907/2006/EC - REACH (GB) Super Glue Extreme - 25g Bottle with base Article number 80607



42929 Wermelskirchen

BGS technic KG



Date printed 14.09.2016, Revision 21.01.2015

Version 01 Page 4 / 9

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

Eye protection Safety glasses. (EN 166:2001)

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

In full contact:

≥ 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).

Skin protection Light protective clothing.

Other Avoid contact with eyes and skin.

Do not inhale gases/vapours.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to

chemicals should be ascertained with the respective supplier.

Respiratory protection Breathing apparatus in the event of high concentrations.

not applicable

Short term: filter apparatus, filter A. (DIN EN 14387)

Thermal hazards Delimitation and monitoring of the

not determined environmental exposition

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

liquid Color colourless Odor odourless Odour threshold not applicable pH-value not applicable pH-value [1%] not applicable Boiling point [°C] not determined

74 - 76 Flash point [°C]

Flammability (solid, gas) [°C] not determined Lower explosion limit not determined Upper explosion limit not determined

Oxidising properties

Vapour pressure/gas pressure [kPa] not determined Density [g/ml] 1,06 (20 °C / 68,0 °F) Bulk density [kg/m³] not applicable

Solubility in water insoluble Partition coefficient [n-octanol/water] not determined

See product information Viscosity

Relative vapour density determined

in air

not determined

Evaporation speed not determined Melting point [°C] not determined Autoignition temperature [°C] not determined Decomposition temperature [°C] not determined

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.

Safety Data Sheet 1907/2006/EC - REACH (GB) Super Glue Extreme – 25g Bottle with base Article number 80607 BGS technic KG 42929 Wermelskirchen



Date printed 14.09.2016, Revision 21.01.2015 Version 01

ion 01 Page 5 / 9

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

Reactions with water.

Risk of polymerisation.

10.4 Conditions to avoid

Strong heating.

Water

Polymerizes slowly on exposure to water (moisture).

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 14.09.2016, Revision 21.01.2015 Version 01 Page 6 / 9

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Substance

2-methoxyethyl 2-cyanoacrylate, CAS: 27816-23-5

LD50, dermal, Rabbit: > 2000 mg/kg.

LD50, oral, Rat: > 5000 mg/kg.

Dimethyl siloxane, reaction product with silica, CAS: 67762-90-7

LD50, dermal, Rat: > 2000 mg/kg bw.

LD50, oral, Rat: > 5000 mg/kg bw.

Serious eye damage/irritation Toxicological data of complete product are not available.

LC0, inhalative, Rat: 0,139 mg/l/4h.

No classification. Calculation method

Skin corrosion/irritationToxicological data of complete product are not available.

No classification. Calculation method

Respiratory or skin sensitisation Toxicological data of complete product are not available.

No classification. Calculation method

Specific target organ toxicity —

single exposure

Toxicological data of complete product are not available. No classification.

Calculation method

Specific target organ toxicity —

repeated exposure

Toxicological data of complete product are not available.

No classification. Calculation method

Mutagenicity Toxicological data of complete product are not available.

No classification.
Calculation method

Reproduction toxicity Toxicological data of complete product are not available.

No classification. Calculation method

Carcinogenicity Toxicological data of complete product are not available.

No classification. Calculation method

Aspiration hazard General remarks Based on available data, the classification criteria are not met.

Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Substance

Dimethyl siloxane, reaction product with silica, CAS: 67762-90-7

LC50, (96h), Brachidanio rerio: > 10000 mg/l

EC50, (24h), Daphnia magna: > 1000 mg/l.

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not determined not determined not determined not determined



Date printed 14.09.2016, Revision 21.01.2015 Version 01 Page 7 / 9

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

Ecological data of complete product are not available.

Do not allow product to reach the drainage.

The product is insoluble in water.

No classification on the basis of the calculation procedure of the preparation directive.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 080499

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Contaminated packing should be disposed of as product waste.

Waste no. (recommended) 150102

150101 150104

SECTION 14: Transport information

14.1 UN number

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

Safety Data Sheet 1907/2006/EC - REACH (GB) Super Glue Extreme - 25g Bottle with base Article number 80607 **BGS technic KG** 42929 Wermelskirchen



Date printed 14.09.2016, Revision 21.01.2015 Version 01 Page 8 / 9

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN)

not applicable

Marine transport in accordance with

IMDG

not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to

ADR/RID

not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with not applicable

IMDG

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to

no

ADR/RID

Inland navigation (ADN)

Marine transport in accordance with no

IMDG

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable



Date printed 14.09.2016, Revision 21.01.2015 Version 01 Page 9 / 9

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008;

75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830

TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2016).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4

- Observe employment restrictions

for people

no

- VOC (2010/75/CE)

not applicable

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.2 Other information

Customs Tariff not determined

Classification procedure

Modified position none

Copyright: Chemiebüro®