

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**SCREW RETENTION – HIGH STRENGTH 50G PUMP DISPENSER**  
**Article number: 80616**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Sealing material  
Adhesive

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** BGS technic KG  
Bandwikerstr. 3  
42929 Wermelskirchen / GERMANY  
Phone +49 (0)2196 72048-0  
Fax +49 (0)2196 72048-20  
Homepage [www.bgs-technic.com](http://www.bgs-technic.com)  
E-mail [mail@bgs-technic.de](mailto:mail@bgs-technic.de)

#### Address enquiries to

**Technical information** [uclouth@bgs-technic.de](mailto:uclouth@bgs-technic.de)

**Safety Data Sheet** [sdb@chemiebuero.de](mailto:sdb@chemiebuero.de)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (english)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Eye Irrit. 2: H319 Causes serious eye irritation.  
Skin Sens. 1: H317 May cause an allergic skin reaction.  
STOT SE 3: H335 May cause respiratory irritation.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

#### Hazard pictograms



#### Signal word

WARNING

#### Contains:

Cumene hydroperoxide  
2'-Phenylacetohydrazide  
2,2'-Ethylenedioxydiethyl dimethacrylate  
Methacrylic acid, monoester with Propan-1,2-diole

#### Hazard statements

H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves / eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333+P313 If skin irritation or rash occurs: Get medical advice / attention.  
P337+P313 If eye irritation persists: Get medical advice / attention.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

## 2.3 Other hazards

### Other hazards

Further hazards were not determined with the current level of knowledge.

## SECTION 3: Composition / Information on ingredients

### Product-type:

The product is a mixture.

Range [%]	Substance
35 - 50	2,2'-Ethylenedioxydiethyl dimethacrylate
	CAS: 109-16-0, EINECS/ELINCS: 203-652-6
	GHS/CLP: Skin Sens. 1: H317
20 - 30	Methacrylic acid, monoester with Propan-1,2-diole
	CAS: 27813-02-1, EINECS/ELINCS: 248-666-3
	GHS/CLP: Eye Irrit. 2: H319 - Skin Sens. 1: H317
< 2,5	Cumene hydroperoxide
	CAS: 80-15-9, EINECS/ELINCS: 201-254-7, EU-INDEX: 617-002-00-8
	GHS/CLP: Org. Perox. E: H242 - Acute Tox. 3: H331 - Acute Tox. 4: H302 H312 - STOT RE 2: H373 - Skin Corr. 1B: H314 - Aquatic Chronic 2: H411 - STOT SE 3: H335
≤ 0,1	2'-Phenylacetohydrazide
	CAS: 114-83-0, EINECS/ELINCS: 204-055-3
	GHS/CLP: Acute Tox. 3: H301 - Skin Irrit. 2: H315 - Skin Sens. 1: H317 - Eye Irrit. 2: H319 - STOT SE 3: H335

### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Change soaked clothing.

#### Inhalation

Ensure supply of fresh air.

#### Skin contact

In case of contact with skin wash off immediately with plenty of water.  
Consult a doctor if skin irritation persists.

#### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

#### Ingestion

Get medical advice.  
Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
Forward this sheet to the doctor.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

foam, dry powder, water spray jet, carbon dioxide

#### Extinguishing media that must not be used

Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx).  
Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.  
Wear full protective suit.  
  
Collect contaminated firefighting water separately, must not be discharged into the drains.  
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.  
Use personal protective clothing.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up mechanically.  
Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well-ventilated areas.  
Open and handle container with care.  
  
Keep away from sources of ignition - refrain from smoking.  
  
Contaminated work clothing should not be allowed out of the workplace.  
Do not eat, drink or smoke when using this product.  
Wash hands before breaks and after work.  
Use barrier skin cream.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
  
Do not store together with oxidizing agents.  
Do not store together with acids.  
  
Keep container in a well-ventilated place.  
Keep container tightly closed.  
Store in a dry place.  
Recommended storage temperature: <25 °C.  
Protect from sun.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational  
exposure limits to be monitored (GB)

not applicable

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. In full contact: > 0,4mm: Butyl rubber, >480 min (EN 374-1/-2/-3). In splash contact: > 0,4mm: Nitrile rubber, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Alkali-resistant protective clothing.
<b>Other</b>	Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, filter A. (DIN EN 14387)
<b>Thermal hazards</b>	not applicable
<b>Delimitation and monitoring of the environmental exposition</b>	See SECTION 6+7.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Form</b>	pasty
<b>Color</b>	red
<b>Odor</b>	characteristic
<b>Odour threshold</b>	not determined
<b>pH-value</b>	not determined
<b>pH-value [1%]</b>	not applicable
<b>Boiling point [°C]</b>	240
<b>Flash point [°C]</b>	96
<b>Flammability (solid, gas) [°C]</b>	not determined
<b>Lower explosion limit</b>	not applicable
<b>Upper explosion limit</b>	not applicable
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	not determined
<b>Density [g/ml]</b>	1,0 - 1,1
<b>Bulk density [kg/m³]</b>	not applicable
<b>Solubility in water</b>	partially soluble
<b>Partition coefficient [n-octanol/water]</b>	not determined
<b>Viscosity</b>	8000 - 15000 cPs (25°C)
<b>Relative vapour density determined in air</b>	not determined
<b>Evaporation speed</b>	not determined
<b>Melting point [°C]</b>	not determined
<b>Autoignition temperature [°C]</b>	> 400
<b>Decomposition temperature [°C]</b>	not determined

### 9.2 Other information

No information available.

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

See SECTION 10.3.

### **10.2 Chemical stability**

Stable under normal ambient conditions (ambient temperature).

### **10.3 Possibility of hazardous reactions**

Reactions with strong oxidizing agents and strong acids.

### **10.4 Conditions to avoid**

See SECTION 7.2.  
Strong heating.

### **10.5 Incompatible materials**

Various metals.

### **10.6 Hazardous decomposition products**

Irritant gases/vapours.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled.:
ATE-mix, oral, > 2000 mg/kg.
Substance
Cumene hydroperoxide, CAS: 80-15-9
LD50, oral, Rat: 382 mg/kg (IUCLID).
LC50, inhalative, Rat: 1,37 mg/l/4h (GESTIS).
LC50, inhalative, Rat: 220 ppm/4h (IUCLID).
LDLo, dermal, Rat: 500 mg/kg (IUCLID).
Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1
LD50, dermal, Rabbit: >3000 mg/kg bw (IUCLID).
LD50, oral, Rat: >4000 mg/kg bw (IUCLID).
2,2'-Ethylenedioxydiethyl dimethacrylate, CAS: 109-16-0
LD50, oral, Rat: > 2000 mg/kg (Lit.).
2'-Phenylacetohydrazide, CAS: 114-83-0
ATE, oral, 100 mg/kg.

<b>Serious eye damage/irritation</b>	Toxicological data of complete product are not available. Irritant Calculation method
<b>Skin corrosion/irritation</b>	Toxicological data of complete product are not available. No classification. Calculation method
<b>Respiratory or skin sensitisation</b>	Toxicological data of complete product are not available. May cause an allergic skin reaction. May produce an allergic reaction. Calculation method
<b>Specific target organ toxicity — single exposure</b>	Toxicological data of complete product are not available. May cause respiratory irritation. Calculation method
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product

Based on the available information, the classification criteria are not fulfilled.:

#### Substance

Cumene hydroperoxide, CAS: 80-15-9

LC50, (48h), *Leuciscus idus*: 17 mg/l (IUCLID).

LC50, (96h), *Oncorhynchus mykiss*: 3,9 mg/l (IUCLID).

EC50, (24h), *Daphnia magna*: 7 mg/l (IUCLID).

EC10, *Pseudomonas putida*: 103 mg/l/18h (IUCLID).

Methacrylic acid, monoester with Propan-1,2-diole, CAS: 27813-02-1

LC50, (48h), *Leuciscus idus*: 493 mg/L (IUCLID).

### 12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant not applicable

Biological degradability not applicable

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

No information available.

### 12.6 Other adverse effects

Ecological data of complete product are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

Dispose of as hazardous waste.

#### Waste no. (recommended)

080409\*

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

#### Waste no. (recommended)

150110\*

## SECTION 14: Transport information

### 14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable



#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC; (EU) 2015/830
TRANSPORT-REGULATIONS	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2016).
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	not applicable

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### 16.1 Hazard statements (SECTION 03)

H319 Causes serious eye irritation.  
H317 May cause an allergic skin reaction.  
H315 Causes skin irritation.  
H301 Toxic if swallowed.  
H335 May cause respiratory irritation.  
H411 Toxic to aquatic life with long lasting effects.  
H314 Causes severe skin burns and eye damage.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H302+H312 Harmful if swallowed or in contact with skin.  
H331 Toxic if inhaled.  
H242 Heating may cause a fire.

## 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
ELINCS = European List of Notified Chemical Substances  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
TLV®/TWA = Threshold limit value – time-weighted average  
TLV®/STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

### Customs Tariff

not determined

### Classification procedure

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)  
Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)  
STOT SE 3: H335 May cause respiratory irritation. (Calculation method)

### Modified position

SECTION 16 been added: GENERAL REVIEW [CLP; REACH-(EU) 2015/830]

Copyright: Chemiebüro®